

## INDICATIONS:

- Liver disease.
- Chronic hepatitis.
- Portosystemic shunt.
- Hepatic encephalopathy.
- Liver failure.
- Copper metabolism disorders.
- Piroplasmosis.

## CONTRAINDICATIONS:

- Pregnancy, lactation, growth.
- Pancreatitis or history of pancreatitis.
- Hyperlipidaemia.

## FEEDING DURATION:


Feeding duration varies depending on the pathology and on the regenerative ability of the hepatic tissue.

Lifetime feeding may be necessary in case of chronic disease.

In order to reduce the postprandial hepatic charge, it is recommended to feed several small meals up to the recommended daily intake.



- A low copper with increased zinc content minimises copper accumulation in the hepatocytes.



- A low sodium intake decreases portal hypertension and reduces extravascular fluid loss.



- The synergistic antioxidant complex helps support the health of the hepatocytes.



- High energy level helps maintain bodyweight in dogs with hepatic failure. L-carnitine favours fat use in the liver avoiding excessive protein catabolism, a risk factor for the onset or progression of hepatic encephalopathy.

## FURTHER INFORMATION:

Nutritional support plays a **key role in the liver failure patient:**

- by reducing the metabolic workload,
- by limiting intake of calories from protein,
- by providing antioxidants to neutralise free radicals,
- by providing essential nutrients to help support hepatocyte regeneration.

# HEPATIC



CANINE

## KEY VALUES (per 100 g dry matter):

Proteins:	18.1 %
Fat:	11.7 %
Carbohydrate:	57.8 %
NFE:	60.6 %
Dietary fibre:	8.3 %
Crude fibre:	5.6 %
Omega 6:	4.44 %
Omega 3:	0.03 %
Calcium:	0.97 %
Phosphorus:	0.67 %
Sodium:	0.14 %
Metabolisable energy (C)*:	419.4 kcal

## Synergistic antioxidant complex:

Vitamin E:	69.4 mg
Vitamin C:	22.2 mg
Taurine:	528 mg
Lutein:	0.83 mg

\* According to ATWATER's equation



Can: 420 g

## INGREDIENTS:

Rice, maize and maize flour, poultry meat, poultry liver, sunflower oil, powdered egg white, cellulose fibre, beet pulp, minerals, carrageenan, taurine, L-carnitine, Fructo-Oligo-Saccharides (FOS), trace elements (including chelated trace elements), marigold extract (rich in lutein), vitamins.

## RECOMMENDED DAILY INTAKE:

It is recommended to divide the daily intake into 2 meals.

Dog's weight	thin		normal		overweight	
	grammes	cans	grammes	cans	grammes	cans
2 kg	185	1/2	150	1/4	110	1/4
5 kg	360	3/4	290	3/4	215	1/2
10 kg	595	1 1/2	480	1 1/4	360	3/4
15 kg	805	2	640	1 1/2	480	1 1/4
20 kg	990	2 1/4	790	2	595	1 1/2
25 kg	1165	2 3/4	930	2 1/4	700	1 3/4
30 kg	1330	3 1/4	1065	2 1/2	800	2
35 kg	1490	3 1/2	1190	2 3/4	895	2 1/4
40 kg	1645	4	1315	3 1/4	985	2 1/4